

# LINEA


design \_blank design studio + Gerardo Mari

REGISTERED TRADEMARK, MODELLO REGISTRATO  
GESCH. ZT. ES. MUSTER, MODELO REGISTRADO  
ЗАРЕГИСТРИРОВАННАЯ МОДЕЛЬ

## LINEA COLLECTION

Linea is a system made of flexible LED linear lighting elements. Made with a harmonic steel core, Linea can be stretched between two walls, not necessarily parallel, thanks to the tensile joints at the ends of the system. It can also be ceiling-mounted and turned into free geometric shapes thanks to the brackets that manage the core of the lamp. A silicone cover allows a consistent diffusion of the light generated by two opposing LED strips with a combined power up to 1,900 lumens/meter.

WINNER





LINEA SYSTEM








# LINEA SYSTEM



















# LINEA SYSTEM

## Wall-wall mounting

Installazione parete/parete / Wand/Wand Installation / Instalación pared/pared / Установка от стены до стены



### Remote driver options

Opzioni con driver remoto  
Optionen mit entfernt liegendem Driver  
Opciones con driver remoto  
Вариант с удаленным устройством управления



### On-board driver options

Opzioni con driver a bordo  
Optionen mit an der Einheit befindlichem Driver  
Opciones con driver a bordo  
Вариант со встроенным устройством управления






## Surface installation

Installazione superficiale / Aufputz-Installation / Instalación en superficie / Установка на поверхность стены или потолка




### Remote driver options

Opzioni con driver remoto  
Optionen mit entfernt liegendem Driver  
Opciones con driver remoto  
Вариант с удаленным устройством управления




### On-board driver options

Opzioni con driver a bordo  
Optionen mit an der Einheit befindlichem Driver  
Opciones con driver a bordo  
Вариант со встроенным устройством управления




### WALL-WALL / FLOOR-CEILING VERSION

Versione parete-parete / terra-soffitto / Ausführung wand-wand / boden-decke  
Versión pared-pared / suelo-techo / вариантотстены до стены/ отпола до потолка



### WALL / CEILING VERSION

Versione parete / soffitto / Ausführung wand/decke  
Versión pared / techo / вариантстена/ потолок



## LINEA




### System

LED linear lighting system  
Sistema di illuminazione lineare a Led  
Lineares LED-Beleuchtungssystem  
El sistema de iluminación lineal de led  
Линейная светодиодная осветительная система



**If you need the following types of installations please share with us size A when ordering**

Nei seguenti casi di installazione comunicare la misura A al momento dell'ordine / In den folgenden Installationssituationen bitte bei der Bestellung das Maß A mitteilen / En los siguientes casos de instalación al hacer el pedido es necesario comunicar la medida A / В следующих случаях при размещении заказа следует сообщить размер A



### FINISHES/ FINITURE / FARBE/ ACABADOS/ ОТДЕЛКИ

#### FRAME

Montatura / Gestell/ Estructura/ Отделка

- Brushed aluminium / Alluminio spazzolato/ Gebürstetes Aluminium / Aluminio cepillado/ Крацованный алюминий
- Black/ Nero / Schwarz/ Negro / Чёрный цвет
- Champagne / Champagne / Champagne / Champagne / Champagne

#### DIFFUSER

Diffusore / Diffusorabdeckung/ Difusor/ Рассеиватель

White opaline silicone / Silicone bianco opalino  
Weiß opalfarben silikon / Silicona blanca opalina  
Белый молочный силикон

#### CANOPIES-DRIVER BOX

Rosoni-Driver Box / Baldachin - Driver Box / Florones-Driver Box /  
Основания светильника-светодиодные драйверы

Matt white / Bianco opaco  
Mattweiß / Blanco mate / Белый матовый

### LIGHT SOURCE/ SORGENTE/ LICHTQUELLE/ FUENTE LUMINOSA / ИСТОЧНИК СВЕТА

|        |          |                                              |                  |
|--------|----------|----------------------------------------------|------------------|
| 1Mt.   | LED 20W  | 3000°K / 1900 Lumen<br>2700°K / 1700 Lumen   | CRI 90<br>CRI 90 |
| 2 Mt.  | LED 40W  | 3000°K / 3800 Lumen<br>2700°K / 3400 Lumen   | CRI 90<br>CRI 90 |
| 3 Mt.  | LED 60W  | 3000°K / 5700 Lumen<br>2700°K / 5100 Lumen   | CRI 90<br>CRI 90 |
| 4 Mt.  | LED 80W  | 3000°K / 7600 Lumen<br>2700°K / 6800 Lumen   | CRI 90<br>CRI 90 |
| 5 Mt.  | LED 100W | 3000°K / 9500 Lumen<br>2700°K / 8500 Lumen   | CRI 90<br>CRI 90 |
| 6 Mt.  | LED 120W | 3000°K / 11400 Lumen<br>2700°K / 10200 Lumen | CRI 90<br>CRI 90 |
| 7 Mt.  | LED 140W | 3000°K / 13300 Lumen<br>2700°K / 11900 Lumen | CRI 90<br>CRI 90 |
| 8 Mt.  | LED 160W | 3000°K / 15200 Lumen<br>2700°K / 13600 Lumen | CRI 90<br>CRI 90 |
| 9 Mt.  | LED 180W | 3000°K / 17100 Lumen<br>2700°K / 15300 Lumen | CRI 90<br>CRI 90 |
| 10 Mt. | LED 200W | 3000°K / 19000 Lumen<br>2700°K / 17000 Lumen | CRI 90<br>CRI 90 |

Subject to changes



[www.sforzinilluminazione.com](http://www.sforzinilluminazione.com)

FW Lighting  
The Lighthouse - 37 Wadham Grove - Emersons Green - Bristol - BS16 7DX  
[info@fw.lighting.com](mailto:info@fw.lighting.com) [www.fw.lighting.com](http://www.fw.lighting.com) Tel:07891 919 169

