

# mono




Simple in its form, the MONO spotlight has been designed in a disc shape with white or black filling in its centre. The surface-mounted lamp in the Low version is only 46 mm high, which gives it an unprecedented lightness and elegance – importantly, there are no visible mounting holes. In the Mono Move model, a fixed circular base connects to the movable part of the spotlight, allowing it to illuminate different parts of the room, including the ceiling. Mono is also available with an adapter suitable for mounting in a power rail. All Mono models feature an integrated 800 lm LED module with the option to select a desirable light colour.



mono move NT / ad 3F














mono NT



Model	On-Off	Accessories	Black			White			Mixed			
			.02	.03	.99	.927	.930	.940	CR98-2700K	CR98-3000K	CR98-4000K	
<b>Mono Move</b> ⊕												
1	Mono Move LV NT	1x 10W840lm, 45°	2.2886				•	•	•	•	•	•
2	Mono Move LV WP	1x 10W840lm, 45°	4.2887	1			•	•	•	•	•	•
3	Mono Move Mounting frame	[required]	4.2894				•	•	•	•	•	•
4	Mono Move LV AD 1F	1x 10W840lm, 45°	7.2888				•	•	•	•	•	•
5	Mono Move LV AD 3F	1x 10W840lm, 45°	7.2889				•	•	•	•	•	•
<b>Mono</b> ⊕												
1	Mono LV NT	1x 10W840lm, 45°	3.2885				•	•	•	•	•	•



details subject to change.

