



shift


A small orange circle containing the text "new model" in white.

new
model

A versatile family of spotlights as well as spot and downlight type luminaires. The SHIFT collection includes surface-mounted spotlights, wall lamps, recessed ceiling luminaires and lamps mounted to Track 1F/3F using adapters. The family is characterised by round, recessed optics integrated into the rectangular shape of the housing. Additionally, version 12.1 features optics that include an anti-glare screen and retracted diodes designed to reduce glare as much as possible (UGR<19). Shift luminaires offer a variety of model sizes – from a mini wall lamp ideal for bedrooms to 12LED spotlights

and recessed luminaires which can be used as the main lighting. In addition, the system includes a Shift Adaptor 1F/3F in various versions designed to be mounted on a three-phase rail, which enables a broad range of spotlight movement and lighting flexibility. The Shift family will work well as the main, supplementary or zone lighting. It is a great choice for any location that requires a simple luminaire and a robust light source – version 1.4 of the Shift luminaire provides as much as 700lm of light and even a DALI control module – all this in a luminaire that is just 30mm wide.






shift 1.3WP / shift 1.4WP trimless



shift 1.4 spot NT / shift 1.3spot NT / shift 1.3ad 1F



shift 1.4 NT / shift 1.3NT







shift 1.2BS KN


shift

Shift 1.2




90°
350°


Shift 1.3



Shift 1.4



Shift 12.1



Model		On-Off	Switch DIM	DALI2	PhaseOut	Accessories	Black	White	Mixed	CR60-2700K	CR60-3000K	CR60-4000K	Spot 18°	Wide 45°
							.02	.03	.99	.927	.930	.940	.S	.W
Shift 1.2KN ⊕														
1 12BSKN	1x3W200lm,48°	1.1990					•	•	•	•	•	•		
Shift 1.3 ⊕														
1 1.3Spot NT	1x6.5W530lm,48°	2.1328					•	•	•	•	•	•		
2 1.3AD 1F	1x6.5W530lm,48°	7.1329					•	•	•	•	•	•		
3 1.3AD 3F	1x6.5W530lm,48°	7.1330					•	•	•	•	•	•		
Shift 1.3NT ⊕														
1 1.3NT	1x6.5W530lm,48°	3.1331					•	•	•	•	•	•		
Shift 1.3WP ⬇														
1 1.3WP	1x6.5W530lm,48°	4.1332					•	•	•	•	•	•		
2 1.3Trimless WP	1x6.5W530lm,48°	4.1333				1	•	•	•	•	•	•		
3 1.3Trimless Mounting Frame [required]							•	•	•					
Shift 1.4 ⊕														
1 1.4Spot NT	1x11W700lm, 48°	2.2745	2.2747	2.2746	2.2748		•	•	•	•	•	•		
2 1.4AD 1F	1x11W700lm, 48°	7.2749			7.2750		•	•	•	•	•	•		
3 1.4AD 3F	1x11W700lm, 48°	7.2751	7.2753	7.2752	7.2754		•	•	•	•	•	•		
Shift 1.4NT ⊕														
1 1.4NT	1x11W700lm, 48°	3.2755	3.2757	3.2756	3.2758		•	•	•	•	•	•		
Shift 1.4WP ⬇														
1 1.4WP	1x11W700lm, 48°	4.2759	4.2761	4.2760	4.2762		•	•	•	•	•	•		
2 1.4WP Trimless	1x11W700lm, 48°	4.2763	4.2765	4.2764	4.2766	1	•	•	•	•	•	•		
3 1.4Trimless Mounting Frame [required]							•	•	•					
Shift 12.1 ⊕														
1 12.1G2 AD 3F	1x18W1600lm	7.1873	7.2631	7.1874			•	•	•	•	•	•	•	•
Shift 12.1WP ⬇														
1 12.1WP Trimless	1x18W1600lm	4.2158	4.3632	4.2159	4.2160	1	•			•	•		•	•
2 12.1WP Trimless Mounting Frame [required]							•	•	•					

details subject to change.



shift 12.1WP trimless

shift 12.1ad 3F

