



# stik



Stik is a family of luminaires based on small diameter, round bodies. The Stik range, so far consisting of Stik 25 and 35 luminaires, has been extended to include Stik 16 model characterised by a diameter of just 16mm. Minimalist in their form and compact luminaires include many different models: surface-mounted spotlights and those mounted on 1F and 3F rails as well as recessed and pendant luminaires; the family is complemented by a group of wall lamps which are perfectly suitable for bedrooms, some with a mini switch on their housing.

Stik pendant offers a wide range of body lengths from 200 up to 1000mm, allowing you to create very diverse compositions of lengths and diameters to build a desirable atmosphere in a dining room or a restaurant. Stik Pure 35 is a simplified, adjustable spotlight without the characteristic “stick”, it is available in 1F or 3F rail compatible version. The glare effect is eliminated by moving the optics deep into the body. Additionally, the optics are surrounded by an invariably black ring





stik 16.2 R wp



stik 16.1R WP



stik 16.1R NT



stik 16.500 ZW



stik 16.200 inZW

It requires a mounting frame to be installed and the power supply is positioned above the ceiling, so no mounting box is visible on the ceiling.




stik35.200 ZW / 25.500 ZW



Model		On-Off	Switch DIM	DALI2	PhaseOut	Accessories	Black	White	Mixed	CR60-2700K	CR60-3000K	CR60-4000K
							.02	.03	.99	.927	.930	.940
<b>Stik 16Wall</b> ⊕												
1	Stik 16SPWall WP	26W150lm, 41°	2.3364				•	•	•	•	•	
2	Stik 16SPWall KN	26W150lm, 41°	2.3365				•	•	•	•	•	
<b>Stik 16NT</b> ⊕												
1	Stik 16.1RNT	7.8W270lm, 38°	2.3392			2.3393	•	•	•	•	•	
2	Stik 16.2RNT	14W2x270lm, 38°	2.3394	2.3395	2.3396	2.3397	•	•	•	•	•	
<b>Stik 16WP</b> ⬠												
1	Stik 16.1RWP	7.8W270lm, 38°	4.3384	4.3385	4.3386	4.3387	•	•	•	•	•	
2	Stik 16.2RWP	14W2x270lm, 38°	4.3388	4.3389	4.3390	4.3391	•	•	•	•	•	
<b>Stik 16ZW</b> ⊕												
1	Stik 16.200 ZW	7.8W300lm, 41°	5.3366			5.3367	•	•	•	•	•	
2	Stik 16.500 ZW	7.8W300lm, 41°	5.3368			5.3369	•	•	•	•	•	
3	Stik 16.1000 ZW	7.8W300lm, 41°	5.3370			5.3371	•	•	•	•	•	
<b>Stik 16inZW</b> ⬠												
1	Stik 16.200 inZW	7.8W300lm, 41°	5.3372	5.3373	5.3374	5.3375	1	•	•	•	•	•
2	Stik 16.500 inZW	7.8W300lm, 41°	5.3376	5.3377	5.3378	5.3379	1	•	•	•	•	•
3	Stik 16.1000 inZW	7.8W300lm, 41°	5.3380	5.3381	5.3382	5.3383	1	•	•	•	•	•
4	16inZWMounting ring	[required]				4.3398	•	•	•			




Stik 16Wall




details subject to change.


Stik 16RWP




Stik 16RWP



Stik 16ZW



Stik 16inZW



Stik 16inZW—mounting ring

