

# yon 46




Yon is a family of linear luminaires in surface-mounted, suspended and wall mounted versions, equipped with an integrated LED source. The simple form is based on a 57mm high aluminium body. With a variety of model lengths to choose from and a range of light outputs from 1050lm to as much as 7400lm, this range can illuminate any space. Yon Grid is primarily dedicated to office interiors as a workstation lighting with UGR <19. The luminaire with a shade made of opal matt polycarbonate will work well as general lighting. The two-piece design ensures easy installation. Built-in electronic driver.





yon 46.9 grid NT / yon 46.9 NT



yon 46.12grid ZW / yon 46.9 ZW



KAMA MUCHA

light thinking






# yon 46


## Yon 46 NT

1




## Yon 46 Grid NT

1




## Yon 46 ZW

1




## Yon 46 Grid ZW

1




## Yon 46 KN

1



## Yon 46 Grid KN


1



yon 46 — Diffused / general lighting



yon 46 grid — lens 52° UGR < 19





Model		On-Off	Switch DIM	DALI2	White + Black	Black	White	Mixed	CR60-2700K	CR60-3000K	CR60-4000K	Wide 52°	X-Wide 82°
					.33	.02	.03	.99	.927	.930	.940	.W	.XW
<b>Yon46 NT (surface)</b> ⊕													
1	46.6 LP	15W1050lm	6.2565	6.2812	6.2566	•	•	•	•	•	•		
	46.6 HP	28W2100lm	6.2567	6.2813	6.2568	•	•	•	•	•	•		
	46.9 LP	22W1600lm	6.2569	6.2814	6.2570	•	•	•	•	•	•		
	46.9 HP	40W3200lm	6.2571	6.2815	6.2572	•	•	•	•	•	•		
	46.12 LP	28W2100lm	6.2573	6.2816	6.2574	•	•	•	•	•	•		
	46.12 HP	52W4200lm	6.2575	6.2817	6.2576	•	•	•	•	•	•		
	46.15 LP	34W2600lm	6.2577	6.2818	6.2578	•	•	•	•	•	•		
	46.15 HP	66W5250lm	6.2579	6.2819	6.2580	•	•	•	•	•	•		
<b>Yon 46 ZW(suspended)</b> ⊕													
1	46.6 LP	15W1050lm	6.2581	6.2820	6.2582	•	•	•	•	•	•		
	46.6 HP	28W2100lm	6.2583	6.2821	6.2584	•	•	•	•	•	•		
	46.9 LP	22W1600lm	6.2585	6.2822	6.2586	•	•	•	•	•	•		
	46.9 HP	40W3200lm	6.2587	6.2823	6.2588	•	•	•	•	•	•		
	46.12 LP	28W2100lm	6.2589	6.2824	6.2590	•	•	•	•	•	•		
	46.12 HP	52W4200lm	6.2591	6.2825	6.2592	•	•	•	•	•	•		
	46.15 LP	34W2600lm	6.2593	6.2826	6.2594	•	•	•	•	•	•		
	46.15 HP	66W5250lm	6.2595	6.2827	6.2596	•	•	•	•	•	•		
<b>Yon 46 KN (wall)</b> ⊕													
1	46.6 LP	15W1050lm	6.2613	6.2828	6.2614	•	•	•	•	•	•		
	46.6 HP	28W2100lm	6.2615	6.2829	6.2616	•	•	•	•	•	•		
	46.9 LP	22W1600lm	6.2617	6.2830	6.2618	•	•	•	•	•	•		
	46.9 HP	40W3200lm	6.2619	6.2831	6.2620	•	•	•	•	•	•		
	46.12 LP	28W2100lm	6.2621	6.2832	6.2622	•	•	•	•	•	•		
	46.12 HP	52W4200lm	6.2623	6.2833	6.2624	•	•	•	•	•	•		
	46.15 LP	34W2600lm	6.2625	6.2834	6.2626	•	•	•	•	•	•		
	46.15 HP	66W5250lm	6.2627	6.2835	6.2628	•	•	•	•	•	•		
<b>Yon 46 Grid NT (surface)</b> ⊕													
1	46.3 Grid HP	17W1500lm	6.2663			•	•	•	•	•	•	•	•
	46.6 Grid HP	31W2950lm	6.2665	6.2837	6.2666	•	•	•	•	•	•	•	•
	46.9 Grid HP	47W4450lm	6.2667	6.2838	6.2668	•	•	•	•	•	•	•	•
	46.12 Grid HP	61W5900lm	6.2669	6.2839	6.2670	•	•	•	•	•	•	•	•
	46.15 Grid HP	75W7400lm	6.2671	6.2840	6.2672	•	•	•	•	•	•	•	•
<b>Yon 46 Grid ZW(suspended)</b> ⊕													
1	46.6 Grid HP	31W2950lm	6.2675	6.2842	6.2676	•	•	•	•	•	•	•	•
	46.9 Grid HP	47W4450lm	6.2677	6.2843	6.2678	•	•	•	•	•	•	•	•
	46.12 Grid HP	61W5900lm	6.2679	6.2844	6.2680	•	•	•	•	•	•	•	•
	46.15 Grid HP	75W7400lm	6.2681	6.2845	6.2682	•	•	•	•	•	•	•	•
<b>Yon 46 Grid KN (wall)</b> ⊕													
1	46.6 Grid HP	31W2950lm	6.2695	6.2847	6.2696	•	•	•	•	•	•	•	•
	46.9 Grid HP	47W4450lm	6.2697	6.2848	6.2698	•	•	•	•	•	•	•	•
	46.12 Grid HP	61W5900lm	6.2699	6.2849	6.2700	•	•	•	•	•	•	•	•
	46.15 Grid HP	75W7400lm	6.2701	6.2850	6.2702	•	•	•	•	•	•	•	•

Yon Grid—data for White version,optic .W,52°

energy

details subject to change.

